

AD-A218 991

IDA PAPER P-2250

# A HETEROGENEOUS SHOOT-LOOK-SHOOT ATTRITION PROCESS

Lowell Bruce Anderson

October 1989

Prepared for  
Joint Chiefs of Staff

**DISTRIBUTION STATEMENT A**

Approved for public release  
Distribution Unlimited

**DTIC**

**ELECTE**

**MAR 02 1990**

**S**

**E**

**D**



INSTITUTE FOR DEFENSE ANALYSES  
1801 N. Beauregard Street, Alexandria, Virginia 22311-1772

## DEFINITIONS

IDA publishes the following documents to report the results of its work.

### Reports

Reports are the most authoritative and most carefully considered products IDA publishes. They normally embody results of major projects which (a) have a direct bearing on decisions affecting major programs, (b) address issues of significant concern to the Executive Branch, the Congress and/or the public, or (c) address issues that have significant economic implications. IDA Reports are reviewed by outside panels of experts to ensure their high quality and relevance to the problems studied, and they are released by the President of IDA.

### Group Reports

Group Reports record the findings and results of IDA established working groups and panels composed of senior individuals addressing major issues which otherwise would be the subject of an IDA Report. IDA Group Reports are reviewed by the senior individuals responsible for the project and others as selected by IDA to ensure their high quality and relevance to the problems studied, and are released by the President of IDA.

### Papers

Papers, also authoritative and carefully considered products of IDA, address studies that are narrower in scope than those covered in Reports. IDA Papers are reviewed to ensure that they meet the high standards expected of refereed papers in professional journals or formal Agency reports.

### Documents

IDA Documents are used for the convenience of the sponsors or the analysts (a) to record substantive work done in quick reaction studies, (b) to record the proceedings of conferences and meetings, (c) to make available preliminary and tentative results of analyses, (d) to record data developed in the course of an investigation, or (e) to forward information that is essentially unanalyzed and unevaluated. The review of IDA Documents is suited to their content and intended use.

The work reported in this document was conducted under contract MDA 903 02 C 1903 for the Department of Defense. The publication of this IDA Paper does not constitute endorsement by the Department of Defense, nor should the contents be construed as reflecting the official position of that Agency.

This Paper has been reviewed by IDA to ensure that it meets the high standards of thoroughness, objectivity, and appropriate analytical methodology and that the results, conclusions and recommendations are properly supported by the material presented.

This paper does not necessarily represent the views of the Joint Chiefs of Staff for whom it was prepared and to which it is forwarded as independent advice and opinion.

Approved for public release, distribution unlimited.

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE October 1989		3. REPORT TYPE AND DATES COVERED
4. TITLE AND SUBTITLE A Heterogeneous Shoot-Look-Shoot Attrition Process			5. FUNDING NUMBERS C-MDA 903 89 C 0003  TA-T-16-682	
6. AUTHOR(S) Lowell Bruce Anderson				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Institute for Defense Analyses 1801 N. Beauregard Street Alexandria, VA 22311			8. PERFORMING ORGANIZATION REPORT NUMBER IDA Paper P-2250	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Joint Chiefs of Staff Director for Force Structure, Resource and Assessment, J-8 The Pentagon Washington, DC 20301-5000			10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT  Approved for Public Release, distribution unlimited.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words)  Shoot-look-shoot attrition generally refers to cases in which the shooting side has (or can be adequately modeled as having) sufficient coordination among its shooters that (1) it can assign any particular shooter to engage any particular target, (2) engagements occur in succession, and the shooting side can assess the results of each engagement before being required to make succeeding assignments, and (3) the shooting side can assign shooters who have not yet made an attack (or who are capable of making another attack) to engage only those targets that either have not yet been engaged or have survived all prior engagements against them. This paper describes formulas that can be used to simulate shoot-look-shoot attrition processes in deterministic combat models.				
14. SUBJECT TERMS Lanchester Equations, Coordination of Fire, Deterministic Modeling of Attrition, Dynamic Simulation of Warfare, Aimed Fire Attrition Equations, Aggregated Combat Model			15. NUMBER OF PAGES 34	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT UL	

IDA PAPER P-2250

## A HETEROGENEOUS SHOOT-LOOK-SHOOT ATTRITION PROCESS

Lowell Bruce Anderson

October 1989

Accession For	
NTIS	<input checked="checked" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	



INSTITUTE FOR DEFENSE ANALYSES

Contract MDA 903 89 C 0003

Task T-16-682



## PREFACE

This paper was prepared under IDA contract MDA 903 8<sup>c</sup> C 003, Task Order T-I6-682, Net Assessment Methodologies and Critical Data Elements for Strategic and Theater Force Comparisons, for the Capabilities Assessment Division of the Force Structure, Resource, and Assessment Directorate (J-8) of the Joint Chiefs of Staff, and has been written in partial fulfillment of that Task Order.

This paper describes formulas that can be used to simulate shoot-look-shoot attrition processes in deterministic combat models.

The author is grateful to Dr. Peter S. Brooks, Dr. Frederic A. Miercort, and Ms. Eleanor L. Schwartz for their quite helpful reviews of this paper. Mrs. Marcia Kostelnick also contributed her valuable time and efforts to preparing the typed manuscript.

## ABSTRACT

Shoot-look-shoot attrition generally refers to cases in which the shooting side has (or can be adequately modeled as having) sufficient coordination among its shooters that (1) it can assign any particular shooter to engage any particular target, (2) engagements occur in succession, and the shooting side can assess the results of each engagement before being required to make succeeding assignments, and (3) the shooting side can assign shooters who have not yet made an attack (or who are capable of making another attack) to engage only those targets that either have not yet been engaged or have survived all prior engagements against them. This paper describes formulas that can be used to simulate shoot-look-shoot attrition processes in deterministic combat models.

# CONTENTS

<b>PREFACE</b> .....	iii
<b>ABSTRACT</b> .....	v
<b>A. INTRODUCTION</b> .....	1
1. Purpose .....	1
2. Background .....	2
3. Some Generic Types of Shoot-Look-Shoot Fire .....	3
<b>B. NOTATION</b> .....	4
1. Some General Notation Concerning Point Fire .....	5
a. Point-Fire Notation With or Without Munitions.....	5
b. Point-Fire Notation Without Munitions .....	7
c. Point-Fire Notation With Munitions .....	8
2. Notation Concerning Shoot-Look-Shoot Fire.....	8
a. Shooters.....	8
b. Targets.....	9
3. Notation Concerning Functions.....	9
<b>C. A HETEROGENEOUS SHOOT-LOOK-SHOOT ATTRITION PROCESS THAT DOES NOT CONSIDER MULTIPLE TYPES OF MUNITIONS</b> .....	9
1. Assumptions .....	9
2. Independence of the Order of Fire.....	11
3. Results .....	11
a. The Integral Case.....	11
b. The Non-Integral Case .....	13
4. Bounds.....	16
<b>D. AN EXTENSION THAT EXPLICITLY CONSIDERS MULTIPLE TYPES OF MUNITIONS</b> .....	17
1. Assumptions .....	17
2. Independence of the Order of Fire.....	18
3. Results .....	18
<b>REFERENCES</b> .....	R-1

## TABLE

1. A Taxonomy for Attrition Equations.....	5
--	---

## A. INTRODUCTION

### 1. Purpose

Shoot-look-shoot attrition generally refers to cases in which the shooting side has (or can be adequately modeled as having) sufficient coordination among its shooters that (1) it can assign any particular shooter to engage any particular target, (2) engagements occur in succession, and the shooting side can assess the results of each engagement before being required to make succeeding assignments, and (3) the shooting side can assign shooters who have not yet made an attack (or who are capable of making another attack) to engage only those targets that either have not yet been engaged or have survived all prior engagements against them.

Shoot-look-shoot fire clearly requires a very high level of coordination among the shooters. If such coordination exists, there are several cases in which the shooting side would want to take advantage of this capability. For example, and perhaps most importantly, shoot-look-shoot fire generally results in killing more targets than other types of fire because fire is not wasted against previously destroyed targets.<sup>1</sup> Additionally, shoot-look-shoot fire might be able to save munitions (even if all of the targets are eventually killed) by not using munitions against targets that have already been destroyed. Finally, if the targets are of different value and if the shooting side can choose the order in which targets are attacked, it could engage only the most valuable targets until such targets are destroyed, and then switch to the second most valuable targets, and so on. This paper directly addresses the first rationale above for using shoot-look-shoot fire. Future work, perhaps using the results of this paper, could address other advantages of using shoot-look-shoot fire.

The goal of this paper is to describe a set of formulas that can be used to simulate shoot-look-shoot attrition processes in deterministic combat models. Such models generally represent time in terms of steps through time intervals, and they assess attrition for each time interval at the end of that interval. Further, these time intervals are generally sufficiently long that multiple engagements and multiple kills can occur within any one

---

<sup>1</sup> In fully unconstrained shoot-look-shoot fire, no fire is ever wasted against previously destroyed targets. There are some variations of shoot-look-shoot fire that allow some fire to be so wasted; but, in general, the amount of such wasted fire will be less than that which occurs for other types of fire. One such variation in which some fire can occasionally be wasted is preallocated shoot-look-shoot fire against heterogeneous targets, which is the type of fire described in this paper.



interval. That is, these models take the numbers and capabilities of the various weapons on each side at the beginning of a relatively long time interval and compute the numbers of kills that occur during that interval directly as a function of these inputs, not by dividing the time interval into small subintervals and assessing attrition separately for each subinterval. See Section A of Chapter V of Reference [1] for a more thorough discussion of this structure for representing attrition over time.

Two versions of shoot-look-shoot attrition processes are discussed here. The first explicitly considers multiple types of shooters and multiple types of targets, but not multiple types of munitions. In particular, it uses probabilities of kill that depend on the type of shooter and type of target involved, but must be averaged over the types of munitions that could be used in a given shooter-target combination. The second version explicitly considers the use of multiple types of munitions.

## **2. Background**

In addition to discussing general approaches for modeling attrition over time, Chapter V of Reference [1] defines and describes several specific attrition processes. (Computer code implementing those attrition processes is also given in Reference [1].) One of those processes involves shoot-look-shoot attrition with heterogeneous shooters and homogeneous targets. (Heterogeneity here means that multiple types of weapons on the side in question can be distinctly simulated; homogeneity means that only one, perhaps notional, type of weapon can be simulated on the given side.) That chapter also presents a somewhat simplistic extension of that process to handle heterogeneous targets, and it suggests (but does not describe in detail) a more organic extension to that process. In Section C below, the present paper describes in detail that suggested method for considering both heterogeneous shooters and heterogeneous targets in a shoot-look-shoot attrition process. Thus, this paper can be viewed as a natural follow-on to Reference [1].

Reference [2] presents a taxonomy for attrition processes that considers whether these processes address point fire or area fire, whether or not they address multiple types of munitions, and which of several levels of coordination among different shooters is being modeled. In addition, Reference [2] describes in detail the equations for all but two of the processes in that taxonomy--the two not described are the two versions of shoot-look-shoot fire considered here (i.e., shoot-look-shoot fire without explicit consideration of munitions, which is denoted by P5 in [2], and shoot-look-shoot fire with explicit consideration of

munitions, which is denoted by PM5 in [2]). Thus, this paper can also be viewed as completing the structure proposed in Reference [2].

Clearly, the interested reader here may want to consult Chapter V of Reference [1] and all of Reference [2]. However, with one exception, the discussion below stands by itself in that it does not require that the reader be familiar with these references. The one exception is as follows. The attrition process below is unilateral in that invulnerable shooters on one side are firing at impotent targets on the other side. Reference [1] (in Section C of Chapter V) describes a method for converting such unilateral attrition assessments into bilateral attrition involving both lethal and vulnerable weapons on each side. This description is repeated in Section G of Reference [2]. This method is not described again here; the interested reader should consult one of these references for details.

### **3. Some Generic Types of Shoot-Look-Shoot Fire**

There are many types of shoot-look-shoot fire. To put this paper in context, this section briefly describes some of the types not discussed here.

One type of shoot-look-shoot fire is to place an independent upper bound on the number of times that any particular target can be engaged per time period, no matter how many shooters are involved in the interaction. The versions of shoot-look-shoot fire discussed here place no such upper bound on engagements.

Another type of shoot-look-shoot fire involves assessing the results of firing at a target only after several engagements of that target, instead of after each engagement of that target. For example, the shooting side could assign two shooters to engage a target, then assess attrition after both engagements to determine if a third shooter should be assigned to that target. (In a sense, this is an example of shoot-shoot-look-shoot fire.) This form can be useful when targets are vulnerable only for a limited time, and the act of making an attrition assessment consumes part of this time. In the fire described below, attrition is assessed after each engagement.

If there are multiple types of shooters and there is an upper bound on the number of times any particular target can be engaged, then (in general) the attrition will depend on the order in which the shooters by type engage the targets (even if there is only one type of target). However, this is not the case when the targets are homogeneous and there is no upper bound on the number of engagements against any individual target.

If there are multiple types of targets, then the attrition can depend on the order in which the targets are engaged. In general, it is not computationally practical to compute an average attrition over all possible permutations of the order in which targets can be engaged. Also, it is not desirable to have the results of the attrition process depend on some particular but arbitrarily selected order for engaging targets. Reference [1] suggests (but does not implement) a method for addressing this problem that involves preallocating shooters to targets by type of target, and this approach is taken here.

Basically, this preallocation assigns a calculated number of shooters of each type to engage each type of target; those shooters can engage any target of their assigned type, but they can only engage targets of that type. Thus, this preallocation turns an attrition process with heterogeneous shooters and heterogeneous targets into  $J$  independent attrition processes, where  $J$  is the number of types of targets. Further, each of these  $J$  attrition processes is heterogeneous in shooter types but considers only one type of target. Accordingly, since the targets are homogeneous and there is no self-imposed bound on the number of shooters that can engage any particular target, the expected attrition is independent of the order in which the shooters engage the targets in each of these  $J$  attrition processes (this assertion is formally stated and proved in Section C.2 below).

It should be noted that preallocated shoot-look-shoot fire will generally kill somewhat fewer targets than unconstrained shoot-look-shoot fire. This happens because there is a possibility that one type of target is annihilated while another is not, thereby wasting the fire of those shooters assigned to attack the annihilated type of target but whose turn to fire comes after that annihilation has occurred. In unconstrained fire, those shooters could attack targets of the types that were not annihilated, but here the assumption of preallocation of fire precludes them from doing so. However, the impact of this characteristic of preallocated shoot-look-shoot fire may be very minor relative to the computational and order-independence advantages that this preallocation offers.

## B. NOTATION

Reference [2] classifies attrition processes according to its Table 1 (which is reproduced as Table 1 here), and that reference gives attrition equations for all of the processes indicated on that table except for P5 and PM5. As noted above, this paper describes the calculation of attrition for P5 and PM5.

To facilitate using shoot-look-shoot fire in conjunction with the types of fire discussed in [2], the notation discussed here will generally follow the notation described in

**Table 1. A Taxonomy for Attrition Equations**

Coordination Assumptions	<u>Point-Fire Equations</u>		<u>Area-Fire Equations</u>	
	Are Munitions Considered? No	Yes	Are Munitions Considered? No	Yes
1) Uncoordinated Fire	P1	PM1	A1	AM1
2) Preallocated Fire	P2	PM2	n/a	n/a
3) Coordinated Fire within Shooter Types	P3		A3	
1) But only within Munition Types		PM3.1		AM3.1
2) And Across all Munition Types		PM3.2		AM3.2
4) Coordinated Fire Across all Shooter (and Munition) Types				
1) Uniform Fire by Numbers of Engagements or Salvos	P4.1	PM4.1	A4	AM4
2) Proportional Fire by Potential Kills	P4.2	PM4.2	n/a	n/a
5) Shoot-Look-Shoot Fire	P5	PM5	n/a	n/a

[2]. In particular, the definitions in Section 1, below, are identical to the definitions given in [2]--the notation defined here corresponds to the subset of the notation defined in [2] that is relevant to shoot-look-shoot fire. Section 2 then presents some extensions to that notation that are needed for the consideration of shoot-look-shoot fire.

### 1. Some General Notation Concerning Point Fire

Since shoot-look-shoot fire is a special case of point fire, the following general notation concerning point fire is relevant here.

#### a. Point-Fire Notation With or Without Munitions

The following notation applies whether or not multiple types of munitions are being considered.

- $I$  = the (input) number of types of shooters being considered;  $I \in \{1, 2, \dots\}$ .  
 $s_i$  = the (input) number of shooters of type  $i$  for  $i = 1, \dots, I$ ;  $s_i \in [0, \infty)$ .  
 $J$  = the (input) number of types of targets being considered;  $J \in \{1, 2, \dots\}$ .  
 $t_j$  = the (input) number of targets of type  $j$  for  $j = 1, \dots, J$ ;  $t_j \in [0, \infty)$ .  
 $v_j$  = the (input) fraction of targets of type  $j$  that are vulnerable to both point fire and area fire for  $j = 1, \dots, J$ ;  $v_j \in [0, 1]$ .  
 $z$  = the (input) number of point-fire combat zones where  $1/z$  of the shooters are assumed to be attacking  $1/z$  of the targets in each of these  $z$  zones;  $z \in (0, \infty)$ .  
 $u_j$  = the (input) fraction of targets of type  $j$  that are vulnerable to point fire but not to area fire for  $j = 1, \dots, J$ ;  $u_j \in [0, 1 - v_j]$ .  
 $\tilde{t}_j = (u_j + v_j) t_j / z$  = the (calculated) number of targets of type  $j$  per combat zone that are vulnerable to point fire in the attrition process being considered for  $j = 1, \dots, J$ .  
 $e_i$  = the average number of point-fire engagements that a shooter of type  $i$  makes per time period for  $i = 1, \dots, I$ ;  $e_i \in [0, \infty)$ .  
 $\tilde{s}_i = e_i s_i / z$  = the (calculated) average number of point-fire engagements per combat zone that are made by all shooters of type  $i$  during the time period in question for  $i = 1, \dots, I$ .

If multiple types of munitions are not being explicitly considered, then  $e_i$  is an input to the attrition calculation. If multiple types of munitions are being addressed, then  $e_i$  either can be an input or can be calculated from other inputs to the attrition calculations as described in Section C.2.c of Reference [2]. Either way,  $e_i$  here should incorporate relevant factors that affect average engagement rates, such as shooter readiness and target acquisition. In particular, note that  $e_i$  does not depend on  $t_j$ . Thus, in the attrition processes described below, the average number of engagements that a shooter of type  $i$  makes is assumed to be adequately approximated by a term,  $e_i$ , that is independent of the number of targets present (provided, of course, that there are some targets present). See Section A.2 of Reference [2] for further discussion of this assumption.

## b. Point-Fire Notation Without Munitions

The following notation is used in point-fire attrition equations when multiple types of munitions are not being addressed.

$p_{ij}$  = the (input) probability of kill per engagement by a shooter of type  $i$  when that shooter is making a point-fire engagement against a target of type  $j$  for  $i = 1, \dots, I$  and  $j = 1, \dots, J$ ;  $p_{ij} \in [0, 1]$ .

$a_{ij} = a_{ij}(\bar{t})$  = the average fraction of engagements that shooters of type  $i$  make against targets of type  $j$  (out of all of the point-fire engagements made by those type- $i$  shooters) when the target force,  $\bar{t}$ , is  $\{\bar{t}_1, \dots, \bar{t}_J\}$ , where  $i = 1, \dots, I$  and  $j = 1, \dots, J$ .

Allocations of fire can be computed in many ways. See Chapters III and IV of [1] for a discussion of a relatively wide variety of methods to compute such allocations. For the purpose of this paper, assume that these allocations are computed by the method described in Section B of Chapter III of [1]. (This method is used to determine allocations of fire in IDAGAM, INBATIM, TACWAR, JCS FPM, and IDAPLAN, all of which are dynamic combat models. Discussions of various aspects of this method can be found in Chapter II of [3], on pages 98 through 100 of [4], on pages 31 and 32 of [5], on pages 53 and 54 of [6] (see also pages 42 and 43 of [6]), and on pages 4 through 8 of [7].) This method uses the following inputs.

$t_j^*$  = the (input) number of targets of type  $j$  in a typical target force, where this target force must contain a strictly positive number of targets of each type for  $j = 1, \dots, J$ ;  $t_j^* \in (0, \infty)$ .

$a_{ij}^*$  = the (input) fraction of point-fire engagements that shooters of type  $i$  would make, on average, against targets of type  $j$  (out of all of the point-fire engagements made by shooters of that type) when the target force consists of  $t_{j'}^*$  weapons of type  $j'$ , where  $i = 1, \dots, I$ ,  $j = 1, \dots, J$ , and  $j' = 1, \dots, J$ ;  $a_{ij}^* \in [0, 1]$ .

The allocations of fire  $a_{ij}$  are then calculated by the formula

$$a_{ij} = a_{ij}(\bar{t}) = \begin{cases} \frac{a_{ij}^* \bar{t}_j / t_j^*}{\sum_{j'=1}^J a_{ij}^* \bar{t}_{j'} / t_{j'}^*} & a_{ij}^* \bar{t}_j / t_j^* > 0 \\ 0 & \text{otherwise} \end{cases}$$

for  $i = 1, \dots, I$  and  $j = 1, \dots, J$ . See the aforementioned references for discussions concerning this method for allocating fire in combat models.

### c. Point-Fire Notation With Munitions

The following notation is used in point-fire attrition equations when multiple types of munitions are being addressed.

$M$  = the (input) number of types of munitions being considered;  $M \in \{1, 2, \dots\}$ .

$P_{imj}$  = the (input) probability of kill per engagement by a shooter of type  $i$  when that shooter is making a point-fire engagement using munitions of type  $m$  against a target of type  $j$  for  $i = 1, \dots, I$ ,  $m = 1, \dots, M$ , and  $j = 1, \dots, J$ ;  $P_{imj} \in [0, 1]$ .

$c_{imj} = c_{imj}(\bar{t})$  = the average fraction of point-fire engagements by shooters of type  $i$  that are made using munitions of type  $m$  against targets of type  $j$  (out of all of the point-fire engagements made by the type- $i$  shooters) when the target force,  $\bar{t}$ , is  $\{\bar{t}_1, \dots, \bar{t}_J\}$ , where  $i = 1, \dots, I$ ,  $m = 1, \dots, M$ , and  $j = 1, \dots, J$ ;  $c_{imj} \in [0, 1]$ .

In general,  $c_{imj}$  will depend both on the composition of the target force (i.e., on  $\bar{t}$ ) and on the number of munitions of the various types that are available for use by shooters of type  $i$  during the time period in question. This paper assumes the  $c_{imj}$  have been calculated in some reasonable manner based, in part, on these quantities

## 2. Notation Concerning Shoot-Look-Shoot Fire

### a. Shooters

Section F of Reference [2] defines  $f_{i5}$  as being the (input) average fraction of the point-fire engagements by shooters of type  $i$  that are made using shoot-look-shoot fire. Since this paper is only concerned with this type of fire, it is useful to define  $s_i$  here as

$$s'_i = f_{is} e_i s_i / z = f_{is} \bar{s}_i \quad \text{for } i = 1, \dots, I,$$

so that  $s'_i$  is the average number of shoot-look-shoot engagements per combat zone that can be made by all shooters of type  $i$  during the time period in question.

### b. Targets

Reference [2] suggests assessing the attrition (if any) due to all other types of fire before computing and assessing attrition due to shoot-look-shoot fire. This suggestion is adopted here. Section F of Reference [2] defines  $\Delta \bar{t}_j$  as the number of targets of type  $j$  that are killed by all area fire and all point fire except for shoot-look-shoot fire. Assessing this attrition first (and, as in [2], assuming that vulnerability to shoot-look-shoot fire is independent of vulnerability to other types of fire) means that the potential number of targets of type  $j$  facing shoot-look-shoot fire is given by

$$t_j - \Delta \bar{t}_j$$

for  $j = 1, \dots, J$ . Accordingly, for  $j = 1, \dots, J$ , let

$$t'_j = (u_j + v_j) (t_j - \Delta \bar{t}_j) / z,$$

so that  $t'_j$  is the (calculated) number of targets of type  $j$  per combat zone that are vulnerable to shoot-look-shoot fire in the attrition process being considered.

## 3. Notation Concerning Functions

For any non-negative number  $x$ , let  $\lfloor x \rfloor$  denote the largest integer that is less than or equal to  $x$ , and let  $\langle x \rangle$  denote the fractional part of  $x$  so that

$$x = \lfloor x \rfloor + \langle x \rangle.$$

## C. A HETEROGENEOUS SHOOT-LOOK-SHOOT ATTRITION PROCESS THAT DOES NOT CONSIDER MULTIPLE TYPES OF MUNITIONS

### 1. Assumptions

1) There can be multiple types of shooters and multiple types of targets, but each shooter of any particular type when engaging a target of any particular type uses the same munitions, on average, as any other shooter of that shooter type uses when engaging any target of that target type. Accordingly, the notation introduced in Sections B.1.a, B.1.b, B.2, and B.3 above applies.



2) At a fixed time in each combat zone,  $t_j$  targets of type  $j$  become vulnerable to  $s_i a_{ij}$  engagements by shooters of type  $i$  for all  $i = 1, \dots, I$ ; and these targets are vulnerable only to these engagements. (That is,  $a_{ij}$  of the  $s_i$  engagements that can be made by shooters of type  $i$  are allocated against targets of type  $j$ ; these engagements can be made against any vulnerable target of type  $j$  in the combat zone, but they cannot be made against any other target.)

3) For all relevant  $i$  and  $j$ ,  $t_j$  and the products  $s_i a_{ij}$  are integers. (This assumption will be discussed further in Section 3, below.)

4) The shooters do not all fire at the same time. Instead, the shooters make engagements one-engagement-at-a-time according to the following rules. For  $j = 1, \dots, J$ , let

$$\bar{s}_j = \sum_{i=1}^I s_i a_{ij},$$

so  $\bar{s}_j$  is the total number of engagements that can be made (per combat zone) against targets of type  $j$ . Label these engagements from 1 through  $\bar{s}_j$  so that each engagement against a target of type  $j$  in a given zone has its own numeric label. Let  $\sigma_j$  be a permutation of  $\{1, \dots, \bar{s}_j\}$ . That is, for each  $v \in \{1, \dots, \bar{s}_j\}$ ,  $\sigma_j(v) \in \{1, \dots, \bar{s}_j\}$ , and if  $v \neq v'$  then  $\sigma_j(v) \neq \sigma_j(v')$ . Engagement  $\sigma_j(1)$  occurs first, followed by engagement  $\sigma_j(2)$ , and so on through engagement  $\sigma_j(\bar{s}_j)$ . When an engagement occurs, the shooter involved selects one target to fire upon from among the targets of type  $j$  remaining alive. That is, each shooter in each of its engagements knows the outcome of all previous engagements before it selects a target to attack, and it never attacks a target that was killed in a previous engagement. Since all targets of type  $j$  are identical, the choice of target (from among those of type  $j$  remaining alive) is irrelevant. If all of the targets of type  $j$  are killed before all of the possible engagements against them have occurred, the remaining engagements do not occur (and so the shooters involved lose these "turns" to fire).

5) Given that a shooter of type  $i$  engages a target of type  $j$ , it kills that target in that engagement with probability  $p_{ij}$ , otherwise the target is unaffected.

6) The firing processes are independent of the target selection process and are mutually independent of each other.

## 2. Independence of the Order of Fire

Theorem: Let  $T_j(\sigma_j)$  denote the random number of targets of type  $j$  that are killed according to the assumptions above. Then  $T_j(\sigma_j)$  is independent of  $\sigma_j$ . That is, if  $\sigma_j$  and  $\sigma_j''$  are two different permutations of  $\{1, \dots, \bar{s}_j\}$ , then

$$\text{Prob} \{T_j(\sigma_j) = x\} = \text{Prob} \{T_j(\sigma_j'') = x\}$$

for all  $x$ .

Corollary: The expected number of targets of type  $j$  killed is independent of  $\sigma_j$ .

Proof of Theorem: Let  $L_j(\bar{s}_j)$  denote the random number of lethal shots that would be fired if the number of engageable targets of type  $j$  were equal to the number of engagements,  $\bar{s}_j$ , that the shooters involved can make against type- $j$  targets. By the independence assumptions above,  $L_j(\bar{s}_j)$  is independent of  $\sigma_j$ . Since, given any value for  $t_j'$ ,

$$T_j = \min\{t_j', L_j(\bar{s}_j)\},$$

$T_j$  is also independent of  $\sigma_j$ .

## 3. Results

This section is divided into two subsections. The first subsection gives equations that correctly calculate the expected number of targets killed when all of the assumptions stated above hold. However, in deterministic combat models, assumption 3 is not likely to hold. Accordingly, the second subsection below gives a reasonable procedure for calculating the number of targets killed when some (or all) of the  $s_{ij}'$  and  $t_j'$  are not integers but the other five assumptions above hold.

### a. The Integral Case

Let  $\Delta t_j$  denote the expected number of targets of type  $j$  that would be killed in a given combat zone if all of the assumptions stated above hold, and let  $\Delta t_j$  denote the expected number of targets of type  $j$  killed in all of the combat zones according to these assumptions. Since the  $z$  combat zones are replicas of each other,

$$\Delta t_j = z \Delta t'_j .$$

The following equations calculate the exact (not estimated) value of  $\Delta t'_j$  (and hence of  $\Delta t_j$ ) under these assumptions.

If  $t'_j \geq \bar{s}_j$ , then each shooter against targets of type  $j$  is guaranteed a (live) target for each of its possible engagements, and so

$$\Delta t'_j = \sum_{i=1}^I s'_i a_{ij} p_{ij} .$$

To address the case where  $t'_j < \bar{s}_j$ , consider the following structure. Since, by the theorem above, the expected attrition is independent of the order of fire, assume for simplicity that the shooters fire in order by type (with all type-1 shooters firing first, followed by all type-2 shooters, and so forth). For  $i = 1, \dots, I$  and  $l = 0, \dots, t'_j$ , let  $r_{ij}(l)$  denote the probability that exactly  $l$  targets of type  $j$  remain alive after all of the shooters of type  $i$  have fired but (for  $i = 1, \dots, I-1$ ) before any shooter of type  $i+1$  has fired. Set

$$r_{0j}(l) = \begin{cases} 1 & l = t'_j \\ 0 & \text{otherwise} . \end{cases}$$

Then, starting with  $i = 1$ ,  $r_{ij}(l)$  can be calculated recursively as follows.

Assume that  $r_{i-1,j}(l)$  has already been calculated for all relevant  $l$ . Set

$$S_{ij} = s'_i a_{ij}$$

and calculate values for  $r_{ij}(l)$  using the formulas:

$$r_{ij}(l) = \sum_{l'=1}^w r_{i-1,j}(l') b(l'-l, S_{ij}, p_{ij}) \quad l = 1, \dots, t'_j$$

and

$$r_{ij}(0) = \sum_{l'=0}^w r_{i-1,j}(l') \bar{b}(l', S_{ij}, p_{ij}) ,$$

where, for  $l = 0, 1, \dots, t'_j$ ,

$$w = w(t'_j, S_{ij}, l) = \min\{t'_j, S_{ij} + l\} ,$$

and, for all relevant values of their arguments,

$$b(l, s, p) = \binom{s}{l} p^s (1-p)^{1-s}$$

$$= \frac{s! p^s (1-p)^{1-s}}{l! (s-l)!}$$

and

$$\bar{b}(l', s, p) = \sum_{l=l'}^s b(l, s, p) .$$

Once values for  $r_{ij}(l)$  have been determined for all relevant  $l$ ,  $\Delta t'_j$  can be calculated by the formula:

$$\Delta t'_j = \begin{cases} t'_j - \sum_{l=1}^{t'_j} l r_{lj}(l) & t'_j < \bar{s}_j \\ \sum_{i=1}^I s'_i a_{ij} p_{ij} & t'_j \geq \bar{s}_j . \end{cases}$$

#### b. The Non-Integral Case

The formulas above can be used in one-time-only calculations in which  $s'_i a_{ij}$  and  $t'_j$  are integers for all relevant  $i$  and  $j$ . However, if  $s'_i a_{ij}$  or  $t'_j$  is not an integer for any relevant  $i$  or  $j$ , the formulas above for the case where  $t'_j < \bar{s}_j$  cannot be evaluated, and so are useless as written. Further, a primary use for formulas that calculate expected attrition is in models that use these formulas to make deterministic estimates of attrition over multiple periods of combat. (See Section A of Chapter V of Reference [1] for further discussion of this structure.) In such models, the values of  $s'_i a_{ij}$  and  $t'_j$  are unlikely to be integers anytime after the first assessment of attrition (and may not be integers even for the first attrition assessment). Accordingly, the formulas for the case in which  $t'_j < \bar{s}_j$  as presented above need to be extended to cover non-integral shooters and targets in order to be useful for representing shoot-look-shoot fire in deterministic models of combat.

In addition to being able to address non-integral shooters and targets, the extended formulas here should have the following three properties. First, they should reduce to the formulas given above when the numbers of shooters and targets are all integers. Second, the number of targets of type  $j$  killed according to these formulas should be a continuous function of the numbers of shooters and targets involved (else, a very small change in the numbers of weapons involved could yield a large change in results, which is generally not desirable for relevant combat models). Third, these extended formulas should be relatively as tractable as the formulas given for the all-integer case above. These criteria rule out many rounding and interpolation schemes for considering non-integral shooters and targets. However, the structure below appears to satisfy all three criteria.

Assume that assumptions 1, 2, 4, 5, and 6 stated above hold, but that assumption 3 may not hold. Let  $\Delta t_j$  and  $\Delta t'_j$  be as defined above (except that assumption 3 may not hold).

If  $t'_j \geq \bar{s}_j$ , then the formulas presented above extend directly to the non-integral case, and so, if  $t'_j \geq \bar{s}_j$ , the formula

$$\Delta t'_j = \sum_{i=1}^I s'_i a_{ij} p_{ij}$$

can be used whether or not  $s'_i a_{ij}$  and  $t'_j$  are integers.

To address the case where  $t'_j < \bar{s}_j$  and the numbers of shooters and targets involved are not necessarily integers, consider the following extensions to the structure presented above. Let

$$T_j = \begin{cases} t'_j & \text{if } t'_j \text{ is an integer} \\ \lfloor t'_j \rfloor + 1 & \text{otherwise,} \end{cases}$$

let

$$S_{ij} = \lfloor s'_i a_{ij} \rfloor,$$

and let

$$r_{0j}(l) = \begin{cases} 1 & l = T_j \\ 0 & \text{otherwise} \end{cases}$$

Then, starting with  $i = 1$ , the terms  $r_{ij}(l)$  can be calculated recursively as follows.

Assume that  $r_{i-1j}(l)$  has already been calculated for all relevant  $l$ . To calculate  $r_{ij}(l)$ , first calculate  $\bar{r}_{ij}(l)$  for all relevant  $l$  as described next ( $\bar{r}_{ij}$  will then be used to calculate  $r_{ij}$ ). Let

$$\bar{r}_{ij}(l) = \sum_{l'=1}^w r_{i-1j}(l') b(l'-l, S_{ij}, p_{ij}) \quad l = 1, \dots, T_j$$

and

$$\bar{r}_{ij}(0) = \sum_{l'=0}^w r_{i-1j}(l') \bar{b}(l', S_{ij}, p_{ij}),$$

where, for  $l = 0, 1, \dots, T_j$ ,

$$w = w(T_j, S_{ij}, l) = \min\{T_j, S_{ij} + l\},$$

and  $b(\bullet)$  and  $\bar{b}(\bullet)$  are as defined above. Let

$$x_{ij} = \langle s_i' a_{ij} \rangle p_{ij}.$$

Then, once  $\bar{r}_{ij}(l)$  has been calculated for all relevant  $l$ ,  $r_{ij}(l)$  is calculated by setting

$$r_{ij}(l) = \begin{cases} \bar{r}_{ij}(0) + x_{ij} \bar{r}_{ij}(1) & l = 0 \\ (1-x) \bar{r}_{ij}(l) + x \bar{r}_{ij}(l+1) & l = 1, \dots, T_j - 1 \\ (1-x) \bar{r}_{ij}(T_j) & l = T_j \end{cases}$$

Note that if  $s_i' a_{ij}$  is an integer then  $r_{ij}(l) = \bar{r}_{ij}(l)$  here, and if  $t_j$  is also an integer then these terms equal  $r_{ij}(l)$  as defined in the integral case above.

Once values for  $r_{ij}(l)$  have been determined by these formulas, the resulting expected number of targets that would be killed if  $T_j$  targets were initially present, say  $k_j$ , is given by

$$k_j = T_j - \sum_{i=1}^{T_j} 1r_{ij}(t).$$

Since (only)  $t_j$  targets were initially present, a reasonable estimate for  $\Delta t_j'$  (when  $t_j < \bar{s}_j$ ) is given by

$$\Delta t_j = k_j(t_j / T_j).$$

In particular, if the numbers of targets and engagements by shooters are all integers, this estimate is exact.

Combining the two cases ( $t_j < \bar{s}_j$  and  $t_j \geq \bar{s}_j$ ) gives

$$\Delta t_j' = \begin{cases} k_j(t_j / T_j) & t_j < \bar{s}_j \\ \sum_{i=1}^I s_i a_{ij} p_{ij} & t_j \geq \bar{s}_j. \end{cases}$$

#### 4. Bounds

As discussed in Reference [1], estimating shoot-look-shoot attrition by using uniform fire attrition would (in general) understate the proper number of kills, while estimating shoot-look-shoot attrition by using Lanchester fire would (in general) overstate the proper number of kills. Accordingly, if when using the same force strengths and effectiveness parameters, uniform attrition is about equal to Lanchester attrition, then either of these can be used as a good estimate of shoot-look-shoot attrition, and the time-consuming recursive technique proposed here need not be used. However, if when using the same data, uniform fire attrition is significantly lower than Lanchester attrition, and if an estimate of shoot-look-shoot attrition is desired, then (at least) a few cases could be examined using this recursive technique to help make a (judgmental) estimate as to whether uniform attrition, Lanchester attrition, or some weighted average of attrition computations appear to most reasonably approximate the results of shoot-look-shoot fire.

## D. AN EXTENSION THAT EXPLICITLY CONSIDERS MULTIPLE TYPES OF MUNITIONS

### 1. Assumptions

1) There can be multiple types of shooters which can use multiple types of munitions against multiple types of targets. Accordingly, the notation introduced in Sections B.1.a, B.1.c, B.2, and B.3 above applies.

2) At a fixed time in each combat zone,  $t_j$  targets of type  $j$  become vulnerable to  $s_i'c_{imj}$  engagements by shooters of type  $i$  using munitions of type  $m$  for all  $i = 1, \dots, I$  and all  $m = 1, \dots, M$ ; and these targets are vulnerable only to these engagements. (That is,  $c_{imj}$  of the  $s_i'$  engagements that can be made by shooters of type  $i$  using munitions of type  $m$  are allocated against targets of type  $j$ ; these engagements can be made against any vulnerable target of type  $j$  in the combat zone, but they cannot be made against any other target.)

3) For all relevant  $i$ ,  $m$ , and  $j$ ,  $t_j$  and the products  $s_i'c_{imj}$  are integers.

4) The shooters do not all fire at the same time. Instead, the shooters make engagements one-engagement-at-a-time according to the following rules. For  $j = 1, \dots, J$ , let

$$\bar{s}_j = \sum_{i=1}^I \sum_{m=1}^M s_i'c_{imj},$$

so  $\bar{s}_j$  is the total number of engagements that can be made (per combat zone) against targets of type  $j$ . Label these engagements from 1 through  $\bar{s}_j$  so that each engagement against a target of type  $j$  in a given combat zone has its own numeric label. Let  $\sigma_j$  be a permutation of  $\{1, \dots, \bar{s}_j\}$ . That is, for each  $v \in \{1, \dots, \bar{s}_j\}$ ,  $\sigma_j(v) \in \{1, \dots, \bar{s}_j\}$ , and if  $v \neq v'$  then  $\sigma_j(v) \neq \sigma_j(v')$ . Engagement  $\sigma_j(1)$  occurs first, followed by engagement  $\sigma_j(2)$ , and so on through engagement  $\sigma_j(\bar{s}_j)$ . When an engagement occurs, the shooter involved selects one target to fire upon from among the targets of type  $j$  remaining alive. That is, each shooter in each of its engagements knows the outcome of all previous engagements before it selects a target to attack, and it never attacks a target that was killed in a previous engagement. Since all targets of type  $j$  are identical, the choice of target (from among those of type  $j$  remaining alive) is irrelevant. If all of the targets of type  $j$  are killed before all of the possible



engagements against them have occurred, the remaining engagements do not occur (and so the shooters involved lose these "turns" to fire).

5) Given that a shooter of type  $i$  engages a target of type  $j$  using munitions of type  $m$ , it kills that target with probability  $p_{imj}$ , otherwise the target is unaffected.

6) The firing processes are independent of the target selection process and are mutually independent of each other.

## 2. Independence of the Order of Fire

Let  $T_j(\sigma_j)$  denote the random number of targets of type  $j$  that are killed according to the assumptions above. Then, as in Section C.2 above,  $T_j(\sigma_j)$  is independent of  $\sigma_j$ . Accordingly, the expected number of targets of type  $j$  killed here is also independent of  $\sigma_j$ .

## 3. Results

As in Section C, if  $t'_j \geq \bar{s}_j$ , then each shooter on each of its possible engagements against targets of type  $j$  can attack a "live" target. Accordingly, the expected number of targets of type  $j$  that would be killed,  $\Delta t_j$ , is given by

$$\Delta t_j = \sum_{i=1}^I \sum_{m=1}^M s'_i c_{imj} p_{imj}$$

when  $t'_j \geq \bar{s}_j$ .

Due to the independence of the order of fire, the recursive technique proposed in Section C extends directly here to handle the case in which  $t'_j < \bar{s}_j$ . In particular, that scheme stepped through the shooters, one shooter-type at a time, calculating the probability (denoted by  $r_{ij}(l)$ ) that  $l$  targets of type  $j$  remain alive just after each particular type of shooter has been considered. The extension here is, within each shooter type, to also step through the munitions one munition-type at a time. That is, let  $\bar{r}_{imj}(l)$  denote the probability that exactly  $l$  targets of type  $j$  remain alive just after all of the shooters of type  $i$  using munitions of type  $m$  have fired. Then, when shooters of type  $i$  are being considered, first the probability that  $l$  targets remain alive after the first type of munition for those shooters has been considered, say  $\bar{r}_{i1j}(l)$ , would be calculated using  $s'_i c_{i1j}$  and  $p_{i1j}$ , then

$\bar{r}_{i2j}(t)$  would be calculated using  $s_i c_{i2j}$  and  $p_{i2j}$ , and so on, until  $\bar{r}_{iMj}(t) \approx r_{ij}(t)$  is found. Given  $r_{ij}(t)$ , the relevant probabilities concerning shooters of type  $i+1$  can be calculated by stepping through their munitions one type at a time.

Clearly, if the numbers of shooters and targets are large, then this technique is computationally intractable. A beneficial use of this technique might be to determine, for a small number of relatively small cases, the (uniform, Lanchester, or other) approximations that appear to be most suitable, and then to use these approximations for larger cases.

## REFERENCES

- [1] Anderson, L.B. and F.A. Miercort, *COMBAT: A Computer Program to Investigate Aimed Fire Attrition Equations, Allocations of Fire, and the Calculation of Weapons Scores*, IDA Paper P-2248, Institute for Defense Analyses, Alexandria VA, September 1989.
- [2] Anderson, L.B., *Heterogeneous Point Fire and Area Fire Attrition Processes that Explicitly Consider Various Types of Munitions and Levels of Coordination*, IDA Paper P-2249, Institute for Defense Analyses, Alexandria VA, October 1989.
- [3] Anderson, L.B., *Attrition Papers Referenced in IDAGAM I*, IDA Note N-846, Institute for Defense Analyses, Arlington VA, April 1979.
- [4] Karr, A.F., *Stochastic Attrition Models of Lanchester Type*, IDA Paper P-1030, Institute for Defense Analyses, Arlington VA, June 1974.
- [5] Karr, A.F., *A Class of Lanchester Attrition Processes*, IDA Paper P-1230, Institute for Defense Analyses, Arlington VA, December 1976.
- [6] Karr, A.F., *Lanchester Attrition Processes and Theater-Level Combat Models*, IDA Paper P-15, Institute for Defense Analyses, Arlington VA, September 1981. This paper also appears as a chapter of: Shubik, M., et al., "Mathematics of Conflict," North-Holland, Amsterdam, The Netherlands, 1983.
- [7] Schwartz, E.L., *A Short Proof of the Basic Binomial Heterogeneous Linear Attrition Equation, with Indications for Extensions*, Working Paper WP-21 of IDA Project 2371, Institute for Defense Analyses, Alexandria VA, November 1983, Revised June 1984.

IDA PAPER P-2250

A HETEROGENEOUS SHOOT-LOOK-SHOOT  
ATTRITION PROCESSES

125 Copies

DEPARTMENT OF DEFENSE

Copies

Director, Capabilities Assessment Division  
Force Structure, Resource, and Assessment Directorate (J-8)  
Office of the Joint Chiefs of Staff  
The Pentagon  
Washington, DC 20301

5

Force Structure and Analysis Branch (C315)  
Joint Data Systems Support Center  
Defense Communications Agency  
The Pentagon  
Washington, DC 20301

3

Mr. Vincent P. Roske, Jr.  
Science and Technology Advisor  
Force Structure, Resource and Assessment Directorate (J-8)  
Office of the Joint Chiefs of Staff  
The Pentagon  
Washington, DC 20301

1

Major Roy Rice  
Technical Support Division  
Force Structure, Resource, and Assessment Directorate (J-8)  
Office of the Joint Chiefs of Staff  
The Pentagon  
Washington, DC 20301

1

Dr. Royce Kneece  
Office of the Secretary of Defense  
Room 1E466, The Pentagon  
Washington, DC 20301

1

Mr. Herbert C. Puscheck  
Deputy Assistant Secretary, General Purpose Programs  
Office of the Assistant Secretary of Defense,  
Program Analysis and Evaluation  
Room 2E330, The Pentagon  
Washington, DC 20301

1

Mr. J.T. Holt  
Tactical Air Division  
Office of the Assistant Secretary of Defense,  
Program Analysis and Evaluation  
Room 2C281, The Pentagon  
Washington, DC 20301 1

Mr. Keth Thorp  
National Defense University  
Fort McNair  
Washington, DC 20319 1

Mr. Michael L. McCurdy  
Headquarters of the Commander in Chief  
U.S. Pacific Command  
Camp H.M. Smith  
Hawaii 96861-5025 1

Defense Technical Information Service  
Cameron Station  
Alexandria, VA 22314 2

DEPARTMENT OF THE ARMY.

Mr. Douglas Sizemore  
Office of the Deputy Under Secretary (Operations Research)  
Department of the Army  
The Pentagon  
Washington, DC 20310 1

Mr. John Riente  
Office of the Deputy Chief of Staff for  
Operations and Planning  
Department of the Army  
The Pentagon  
Washington, DC 20310 1

U.S. Army Concepts Analysis Agency  
8120 Woodmont Avenue  
Bethesda, Maryland 20814-2797 6  
Attn: Wally Chandler  
John Shepherd  
Glen Stockton  
George Stoll  
John Warren  
Howard Whitley

Dr. Robert LaRocque  
TRADOC  
Fort Leavenworth, Kansas 66027 1

Dr. Hugh McCoy  
 TRADOC  
 White Sands Missile Range, NM 88002 1

Director, Center for Strategic War Gaming  
 U.S. Army War College  
 Carlisle Barracks  
 Carlisle, PA 17013-5050 1

Director, Operations Research Center  
 U.S. Military Academy  
 West Point, NY 10996 1

Mr. Jagdish Chandra  
 Director Mathematical Sciences Division  
 Department of the Army  
 Army Research Office  
 P.O. Box 12211  
 Research Triangle Park, NC 27709-2211 1

DEPARTMENT OF THE NAVY

Naval Postgraduate School  
 Monterey, California 93943-5000 3  
 Attn: Professor Alan Washburn  
 Professor Sam Perry  
 Professor Jame. Taylor

Director  
 Naval Research Laboratory  
 Washington, DC 20375 1

Director, War Gaming Department  
 Naval War College  
 Newport, RI 02840 1

Director, War Gaming  
 Stop 7E  
 U.S. Naval Academy  
 Annapolis, MD 21402 1

DEPARTMENT OF THE AIR FORCE

Mr. Clayton Thomas  
 Chief Scientist  
 Office of the Assistant Chief of the Staff  
 for Studies and Analysis  
 Depart of the Air Force  
 The Pentagon  
 Washington, DC 20330 1

Air Force War Gaming Center  
Air University  
Maxwell AFB, Alabama 36112 1  
Attn: AU CADRE/WG

Air Force Institute of Technology  
Wright-Patterson AFB, Ohio 45433 1  
Attn: AFIT/ENS

Director of Research  
US Air Force Academy  
Colorado Springs, CO 80840 1

INTERNATIONAL/FOREIGN ORGANIZATIONS

Director  
Shape Technical Center  
APO New York 09159 1

Director  
Defence Operations Analysis Establishment  
Ministry of Defence  
Parvis Road  
West Byfleet, Surrey, KT 146 LY, England 1

Industrieanlagen-Betriebsgesellschaft m.b.H.  
D 8012 Ottobrunn  
Federal Republic of Germany  
Attn: Mr. Klaus Niemeyer 1

University of the Federal Armed Forces  
Auenstr 44  
D 8012 Ottobrunn-Remerling  
Federal Republic of Germany 1  
Attn: Dr. Reiner K. Huber

CEMA-Center for Military Analyses  
Ministry of Defense  
P.O.B. 2250 (17)  
31021 Haifa  
Israel 2  
Attn: Dr. Moshe Kress  
Dr. Itzhak Ravid

Korea Institute for Defense Analyses  
C.P.O. Box 3089  
Seoul, Korea 1  
Attn: Library

Operations Analysis Group  
Combined Forces Command  
APO San Francisco 96301 1  
Attn: Mr. Michael A. Alexander

## INDIVIDUALS/INDUSTRIAL ORGANIZATIONS

### ANSER

Crystal Gateway 3  
1215 Jefferson Davis Highway  
Arlington, Virginia 22202  
Attn: Paul McCoy  
Raymond Smeeth

2

Mr. Peter Campbell  
Advanced Computer Applications Center  
Argonne National Laboratory  
9'00 South Cass Avenue  
Argonne, IL 60439-4832

1

Professor Stephen D. Casey  
Department of Mathematics and Statistics  
The American University  
4400 Massachusetts Avenue, NW  
Washington, DC 20016

1

Dr. Jerome Bracken  
P.O. Box 151048  
Chevy Chase, Maryland 20815

1

Dr. Joshua Epstein  
The Brookings Institution  
1775 Massachusetts Avenue, N.W.  
Washington, DC 20036

1

California Institute of Technology  
Jet Propulsion Laboratory  
4800 Oak Grove Drive  
Pasadena, California 91103  
Attn: Library

1

Mr. Daniel H. Wagner Associates, Inc  
Station Square One  
Paoli, PA 19301

1

Professor Murray Berkowitz  
George Mason University  
4400 University Drive  
Fairfax, Virginia

1

Department of Operations Research  
School of Engineering and Applied Science  
George Washington University  
Washington, DC 20052  
Attn: Professor Richard M. Soland  
Professor James E. Falk

2



Department of Mathematics George Washington University Washington, DC 20052 Attn: Professor Lester Ingber	1
Director Georgia Tech Research Institute Research Security Department Atlanta, GA 30332-0800	1
Mr. Ian Graham Box 3081 Yale Station New Haven, Conn 06520	1
Timothy J. Horrigan Horigan Analytics 1460 North Sandberg Terrace, Suite 1001 Chicago, IL 60610	1
Hudson Institute, Inc Center for Naval Analyses P.O. Box 16268 Alexandria, Virginia 22302-0268 Attn: Library	1
The Johns Hopkins University Applied Physics Laboratory Johns Hopkins Road Laurel, MD 20810 Attn: Library	1
Professor Alan F. Karr School of Engineering Room 120, New Engineering Bldg. The Johns Hopkins University Charles and 34th Streets Baltimore, MD 21218	
Lawrence Livermore National Laboratory University of California Livermore, California 94550-0622 Attn: Stanley A. Erickson Ralph Toms	2
Charles H. Brown McDonnell Douglas 1000 Wilson Blvd, Suite 911 Arlington, Virginia 22209	1

Los Alamos National Laboratory Mail Stop F602 Los Alamos, New Mexico 87545 Attn: Dr. Linda K. Trocki	1
Dr. Ray Jakobovits Metron, Inc 1485 Chain Bridge Road McLean, Virginia 22102	1
Oak Ridge National Laboratory Oak Ridge Tennessee 37831 Attn: V. Protopopescu	1
Dr. Ivar Oswalt 1031 West B. Street Apartment 22 Ontario, California 91762	1
The RAND Corporation P.O. Box 2138 Santa Monica, California 90406-2138 Attn: Library	1
The RAND Corporation 2100 M. Street, N.W. Washington, DC 20037 Attn: Library	1
Raymond Heath Organization 9012 Sandia National Laboratories P.O. Box 5800 Albuquerque, NM 87185	1
Mr. Barry Smernoff P.O. Box 3136 Oakton, Virginia 22124	1
Mr. Anthony F. Quattromani SYSCON Corporation, Suite 300 1000 Thomas Jefferson Street, N.W. Washington, DC 20007	1
W. Leon Goodson STR Corporation 10805 Parkridge Blvd Reston, Virginia 22091	1

Dr. William Lesse  
 Department of Mechanical Engineering  
 University of Texas  
 Austin, TX 78712

1

Dr. Peter F. Stiller  
 Mathematics Department  
 Texas A&M University  
 Bryan, TX 77805

1

Professor Stephen M. Robinson  
 Department of Industrial Engineering  
 University of Wisconsin-Madison  
 1513 University Avenue  
 Madison, WI 53706

1

Dr. Seth Bonder  
 Vector Research, Inc  
 P.O. Box 1506  
 Ann Arbor, MI 48106

2

Institute for Defense Analyses  
 1801 N. Beauregard Street  
 Alexandria, Virginia 22311

Attn: General W.Y. Smith	1
Mr. Robert E. Roberts	1
Dr. William J. Schultis	1
Dr. David L. Randall	1
Dr. Lowell Bruce Anderson	13
Dr. Robert J. Atwell	1
Mr. Stephen D. Biddle	1
Dr. Peter S. Brooks	1
Mr. John Cook	1
Mr. Seymour J. Deitchman	1
Dr. Dennis DeRiggi	1
Dr. Jeffrey H. Grotte	1
Dr. William J. Hurley	1
Mr. Edward P. Kerlin	1
Mr. D. Graham McBryde	1
Dr. Frederic A. Meircort	1
Mr. Merle L. Roberson	1
Dr. Alan J. Rolfe	1
Dr. Leo A. Schmidt	1
Ms. Eleanor L. Schwartz	1
Control and Distribution	10